#### Odense University Hospital

OUH Odense Universitetshospital





### Time gain of online Al-assisted delineation

for online MR-guided adaptive radiotherapy of prostate cancer

Maximilian Lukas Konrad<sup>1</sup>, Carsten Brink<sup>1</sup>, Ander Smedegaard Bertelsen<sup>1</sup>, Ebbe Laugaard Lorenzen<sup>1</sup>, Bahar Celik<sup>1</sup>,

Christina Junker Nyborg<sup>2</sup>, Lars Dysager<sup>2</sup>, Tine Schytte<sup>2</sup>, Uffe Bernchou<sup>1</sup>

1: Laboratory of Radiation Physics, Department of Oncology, Odense University Hospital, Odense, Denmark 2: Department of Oncology, Odense University Hospital, Odense, Denmark





## The general problem

#### The general problem in radiotherapy:

The patient is alive and breathing – and we would very much like to keep it that way.





# The promising solution

#### The general problem in radiotherapy:

The patient is alive and breathing – and we would very much like to keep it that way.



Our Solution: 1.5T MR-Linac







## The new problem

#### But...

Online adaptive radiotherapy has its price:



- The MR-Linac is staffed with min. 4 clinicians at any given point
- We need to delineate every single fraction
- Delineations need to happen fast and have high quality, while the patient is on the treatment couch





## The new problem

#### The problem:

We can't sustain the amount of ressources currently requried at the MR-Linac\*.

\*this will become even worse with a second MR-Linac at nyt OUH.





# The promising solution

#### The problem:

We can't sustain the amount of ressources currently requried at the MR-Linac\*.





\*this will become even worse with a second MR-Linac at nyt OUH.





### Patient Cohort












### AI Inference Service and Model







### AI reduces delineation time







## AI supports our clinicians greatly

Al almost halves delineation time









More research into clinician-Al

interaction necessary





#### Want to know more? Read our pre-print:

https://dx.doi.org/10.2139/ssrn.4883232

Feasibility and Timegain of Implementing Ai-Assisted Delineation Tools in Daily Mri-Guided Adaptive Prostate Cancer Radiotherapy on a 1.5t Mri-Linac System: A Sequential Crossover Study

11 Pages • Posted: 31 Jul 2024

or get in touch with us

Maximilian Lukas Konrad, <u>Maximilian.Lukas.Konrad@rsyd.dk</u>

Uffe Bernchou, Uffe.Bernchou@rsyd.dk



This project is only possible thanks to our amazing clinicians, technicians and researchers /

## Thank you for your attention



